

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	65379	"438"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/03/31 19:04
S2	0	semiconductor or ic or "integrated circuit" or microelectronic	US-PGPUB; USPAT	OR	OFF	2003/05/29 17:11
S3	6	"01128335" or "62140339" or "61107643" or "60243953"	DERWENT	OR	OFF	2005/04/05 14:34
S4	63717	microwave	DERWENT	OR	OFF	2005/04/05 14:35
S5	94205	microwave	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:35
S6	250409	plasma	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:35
S7	141189	"magnetic field"	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:35
S8	4129	S5 and S6 and S7	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:35
S9	641262	extraction or extract\$3	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:36
S10	1345	S7 with S9	US-PGPUB; USPAT	OR	OFF	2005/04/05 14:36
S11	178	S8 and S10	US-PGPUB; USPAT	OR	OFF	2005/04/05 17:30
S12	38	(US-20020004309-\$ or US-20020025677-\$ or US-20030142620-\$ or US-20030184205-\$ or US-20030186090-\$ or US-20030205683-\$ or US-20040038505-\$ or US-20040053478-\$ or US-20040084422-\$ or US-20040251424-\$).did. or (US-3660715-\$ or US-3778656-\$ or US-4058748-\$ or US-4393333-\$ or US-4401054-\$ or US-4450031-\$ or US-4492620-\$ or US-4507588-\$ or US-4543465-\$ or US-4570103-\$ or US-4663932-\$ or US-4739169-\$ or US-4778561-\$ or US-4797597-\$ or US-4857809-\$ or US-4883968-\$ or US-5156703-\$ or US-5168197-\$ or US-5181986-\$ or US-5517084-\$ or US-5523652-\$ or US-5531184-\$ or US-5563418-\$ or US-5620522-\$ or US-6297594-\$ or US-6777699-\$).did. or (JP-61107643-\$ or EP-685143-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/04/17 18:02
S13	3	((("5620522") or ("5523652") or ("5517084"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/17 18:03

S14	4255	"molecular hydrogen"	US-PGPUB; USPAT	OR	OFF	2005/10/26 13:05
S15	131266	implantation or implanter or implanting	US-PGPUB; USPAT	OR	OFF	2005/10/26 13:06
S16	26	S14 with S15	US-PGPUB; USPAT	OR	OFF	2005/10/26 13:24
S17	0	("5523652" "5620522").PN.).PN.	US-PGPUB; USPAT	OR	OFF	2005/10/26 13:24
S18	2	("5523652" "5620522").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/26 13:24